2022 FORD F-150 LIGHTNING

TECHNICAL SPECIFICATIONS



Preproduction computer-generated vehicle shown. Available starting spring 2022

BODY

Construction/materials High-strength steel frame, high-strength, military-grade aluminum alloy body and bed

Body style SuperCrew® four-door with 5.5-foot bed

Final assembly location Rouge Electric Vehicle Center

POWERTRAIN/DRIVETRAIN	Standard-Range Battery	Extended-Range Battery	
Drivetrain Layout	Dual eMotor, front/rear transverse moun	ted, four-wheel drive	
Motors/configuration	Two inboard three-phase fixed magnet AC motors with in	ernal PMAC controller and transaxles	
Targeted Peak Power (hp/kW)*	426/318	563/420	
Targeted Peak Torque (lbft.)*	775	775	

Motor Build Location Van Dyke Transmission Plant

^{*}Calculated via peak performance of the electric motor(s) at peak battery power. Your results may vary. Horsepower and torque are independent attributes and may not be achieved simultaneously.

BATTERY/ENERGY STORAGE	Standard-Range Battery	Extended-Range Battery
Battery type	Lithium-ion pouch with internal battery ma	nagement, liquid cooled
Onboard charger power (input/output)	11.3 kW/10.5 kW	19.2kW/17.6 kW
Battery assembly location	Rawsonville Component:	s Plant

TARGETED CHARGE TIMES*	Standard-Range Battery	Extended-Range Battery
LEVEL 3		
150 kW DCFC 15-80%	44 minutes	41 minutes
50 kW DCFC 15-80%	91 minutes	122 minutes
LEVEL 2		
80A Ford Charge Station Pro 15-100%	10 hours	8 hours
48A Connected Charge Station 15-100%	10 hours	13 hours
32A/240W Mobile Charger 15-100%	14 hours	19 hours

^{*}Charge time based on manufacturer computer engineering simulations. The charging rate decreases as battery reaches full capacity. Your results may vary based on peak charging times and battery state of charge.

TARGETED MILES/CHARGE*	Standard-Range Battery	Extended-Range Battery
10 minutes, 150kW DC Fast Charge	41 miles	54 miles
1 hour, 80A Ford Charge Station Pro	19 miles	30 miles
1 hour, 48A Ford Connected Charge Station	19 miles	20 miles
1 hour, 32A/240W Mobile Charger	14 miles	13 miles

^{*}Excludes Platinum models. Range and charge time based on manufacturer computer engineering simulations and analytical projection consistent with U.S. EPA combined drive cycle. The charging rate decreases as battery reaches full capacity. Your results may vary based on peak charging times and battery state of charge. Actual range varies with conditions such as external environment, vehicle use, vehicle maintenance, lithium-ion battery age and state of health.

TARGETED EPA-ESTIMATED RANGE* 230	300	
-----------------------------------	-----	--

^{*}Excludes Platinum models. Based on full charge. U.S. EPA-targeted range reflecting current status based on analytical projection consistent with U.S. EPA combined drive cycle. Actual range varies with conditions such as external environment, vehicle use, vehicle maintenance, lithium-ion battery age and state of health. Horsepower, torque, and EPA Estimated Fuel Economy Ratings are independent attributes and may not be achieved simultaneously.



CHARGING UNIT				
32A Ford Mobile Charger	Standard	Standard		
48A Ford Connected Charge Station	Optional	Optional		
30A Ford Charge Station Pro with Ford ntelligent Backup Power capability	Optional Standard			
EXTERIOR DIMENSIONS (Preproduction	on estimates. Measurements in inches unless o	otherwise noted.)		
Wheelbase	145.5			
Overall length	232.7			
Cab height Cab height	78.9			
Width - excluding mirrors	80.0			
Vidth - including standard mirrors	96.0			
Width - standard mirrors folded	83.6			
rack width - front	68.1			
rack width - rear	68.3			
Overhang - front	37.8			
Overhang - rear	49.4			
Angle of approach (degrees)	25.4			
Angle of departure (degrees)	24.2			
Ramp breakover angle (degrees)	17.8			
Ground clearance	8.9			
Open tailgate to ground	37.2			
	155.9			
Front bumper to back of cab	155.9			
	155.9 35.0			
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction	35.0	herwise noted.)		
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants)	35.0 n estimates. Measurements in inches unless ot	herwise noted.)		
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom	35.0 n estimates. Measurements in inches unless ot 5	herwise noted.)		
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum)	35.0 n estimates. Measurements in inches unless ot 5 40.8	herwise noted.)		
Tront trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room	35.0 n estimates. Measurements in inches unless ot 5 40.8 43.9	herwise noted.)		
Front bumper to back of cab Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5	therwise noted.)		
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom	35.0 n estimates. Measurements in inches unless ot 5 40.8 43.9 66.7 62.5 40.4	cherwise noted.)		
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum)	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6	herwise noted.)		
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6 66.0	cherwise noted.)		
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room Rear shoulder room	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6			
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room Rear shoulder room Rear hip room Rear hip room	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise notes and services and services are services.			
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room Rear shoulder room Rear hip room Rear hip room Rear hip room	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise not) 67.1			
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Front good (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Rear headroom Rear headroom Rear shoulder room Rear shoulder room Rear shoulder room Rear hip room Rear hip room Rear hip room Rear hip room BED & FRONT TRUNK CAPACITIES Inside length (at floor) Width between wheelhouses	35.0 n estimates. Measurements in inches unless of 5 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise no 67.1 50.6			
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear headroom Rear shoulder room Rear shoulder room Rear hip room BED & FRONT TRUNK CAPACITIES Inside length (at floor) Width between wheelhouses Inside height	35.0 n estimates. Measurements in inches unless of 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise notes) 67.1 50.6 21.4			
INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room Rear hip room Rear hip room Rear hip room Width between wheelhouses Inside height Cargo box volume	35.0 n estimates. Measurements in inches unless of 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise note) 67.1 50.6 21.4 52.8 cubic feet			
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear headroom Rear shoulder room Rear shoulder room Rear hip room Rear hip room Rear hip room Note the state of the	35.0 n estimates. Measurements in inches unless of 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise notes) 67.1 50.6 21.4			
Front trunk liftover height NTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear shoulder room Rear shoulder room Rear hip room BED & FRONT TRUNK CAPACITIES Inside length (at floor) Width between wheelhouses Inside height Cargo box volume Front trunk volume	35.0 n estimates. Measurements in inches unless of 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise note) 67.1 50.6 21.4 52.8 cubic feet			
Front trunk liftover height INTERIOR DIMENSIONS (Preproduction Seating (occupants) Front headroom Front legroom SAE (maximum) Front shoulder room Front hip room Rear headroom Rear legroom SAE (maximum) Rear shoulder room Rear hip room	35.0 n estimates. Measurements in inches unless of 40.8 43.9 66.7 62.5 40.4 43.6 66.0 62.6 (Measurements in inches unless otherwise note) 67.1 50.6 21.4 52.8 cubic feet 14.1 cubic feet (400 liters)	oted.)		

SUSPENSION

Front configuration	Independent double-whishbone with coil-over shocks, stabilizer bar
Rear configuration	Independent semi trailing arms, coil springs, stabilizer bar



SELECT STANDARD/OPTIONAL FEATURES

SELECT STANDARD/OPTIONAL FEATORE	<u> </u>		
	XLT	Lariat	Platinum
BATTERY/CHARGING			
Standard-Range Battery	S	S	-
Extended-Range Battery	0	0	S
EXTERIOR FEATURES			
Power up/down hood	S	S	S
Front trunk	S	S	S
Tailgate with lift assist	S	-	-
Power down tailgate	0	-	-
Power up/down tailgate	-	S	S
Carbon Black fixed extended running boards with enhanced lighting	S	S	S
Power-deployable running boards	-	0	0
EXTERIOR LIGHTING			
LED projector headlamps with dynamic bending and LED signature lighting	S	S	S
LED taillamps	S	S	S
Signature hood lighting	S	S	S
Signature tailgate lighting good, don't like it	-	S	S
LED box lighting with Zone Lighting	8	S	S
WHEELS			
8-inch machined aluminum with black high gloss pockets	S	-	-
20-inch Dark Carbonized Gray aluminum	0	S	-
22-inch bright machined aluminum with Ebony Black painted pockets	-	-	S
TECHNOLOGY			
SYNC® 4 with Enhanced Voice Recognition, 12-inch landscape LCD capacitive touch screen good, like it	S	-	-
SYNC® 4A with Enhanced Voice Recognition, 15.5-inch portrait orientation LCD capacitive touch screen too big	-	S	S
Apple CarPlay® and Android Auto™ compatability	S	S	S
Wireless Ford Power-Up Updates	S	S	S
Connected Built-In Navigation	S	S	S
2-inch Digital Productivity Screen	S	S	S
Intelligent Access maybe, depends on \$\$	0	S	S
Push button start	S	S	S
360-degree camera	S	S	S
FordPass Connect™ with 4G LTE Wi-Fi hotspot capability for up to 10 devices	S	S	S
Phone As A Key functionality	-	0	S
B&O Sound System by Bang & Olufsen with HD Radio™ (including 8 speakers and subwoofer)	-	S	-
B&O Sound System Unleashed by Bang & Olufsen with HD Radio™ (including 18 speakers and subwoofer)	-	-	S
BANG & OLUFSEN© 2021 and B&O© 2021. BANG & OLUFSEN™ and B&O™ are n	registered trademar	ks of Bang & Olufsen Group Ticensed by Har	man Becker Automotive Syste

 $BANG \& OLUFSEN © 2021 \ and \ B\&O © 2021. \ BANG \& \ OLUFSEN ^{^{>}} \ and \ B\&O ^{^{>}} \ are \ registered \ trademarks \ of \ Bang \& \ Olufsen \ Group. \ Licensed \ by \ Harman \ Becker \ Automotive \ Systems \ Manufacturing \ Kft. \ All \ rights \ reserved.$



SELECT STANDARD/OPTIONAL FEA	XLT	Lariat	Platinum
Pain-Songing Winers none been there do		S	S
Rain-Sensing Wipers nope, been there do	ie mai o	3	3
SEATING			
Cloth front bucket seats, 8-way power driver's seat with power lumbar, manual passenger lumbar	S	-	-
Cloth heated front bucket seats, 8-way power driver's seat with power lumbar, manual passenger lumbar	0	-	-
Leather-trimmed, heated and ventilated front seats, 10-way power driver's seat and multi-adjustable power passenger seat with power lumbar, memory driver's seat	-	S	-
Premium Nirvana leather seating surfaces with black tuxedo stripes, heated and ventilated, front MultiContour with Active Motion, 10-way power driver's seat and multi-adjustable power passenger seat with power lumbar, memory driver's seat	-	-	S
Flow-through console with stowable floor shifter	S	S	S
Maximum Recline Seats	-	-	0
PRODUCTIVITY/CAPABILITY			
2.4kW Pro Power Onboard – 120V outlets: Two in the cab, two in the bed and four in the trunk	S	-	-
9.6kW Pro Power Onboard – 120V outlets: Two in the cab, four in the bed and four in the front trunk, plus a 240V outlet in the bed	0	S	S
Interior work surface	S	S	S
Tailgate work surface	8	S	S
Class IV trailer hitch	S	S	S
FORD CO-PILOT360™ TECHNOLOGY			
Ford Co-Pilot360™ 2.0 – Pre-Collision Assist with Automatic Emergency Braking (Includes Pedestrian Detection, Forward Collision Warning and Dynamic Brake Support), BLIS® with Cross-Traffic Alert, Lane-Keeping System (Includes Lane- Keeping Alert, Lane-Keeping Aid and Driver Alert), Rear View Camera, Auto High Beam headlamps, Reverse Sensing System, Reverse Brake Assist and Post-Collision Braking	S	S	S
Ford Co-Pilot360™ Assist 2.0 – Intelligent Adaptive Cruise Control with Stop-and-Go, Lane Centering and Speed Sign Recognition, Evasive Steering Assist, Intersection Assist, Connected Built-In Navigation	!	S	S
Ford Co-Pilot360™ Active 2.0 – BlueCruise, Nortive Park Assist 2.0	oe! -	0	S



SELECT STANDARD/OPTIONAL FEATURES (CONTINUED)

	XLT	Lariat	Platinum
SAFETY/SECURITY			
AdvanceTrac® with RSC	S	S	S
Airbags – Driver and front-passenger front and seat-mounted side airbags, Safety Canopy® side-curtain airbags	S	S	S
Curve Control	S	S	S
MyKey®	S	S	S
Perimeter anti-theft alarm	S	S	S
SOS Post-Crash Alert System	S	S	S
Tire pressure monitoring system	S	S	S
Advanced Security Pack	-	S	S
SecuriCode® keyless entry keypad	S	S	S

PACKAGES

Tow Technology Package – includes Pro Trailer Backup Assist, Pro Trailer Hitch Assist, Trailer Reverse Guidance, Trailer Brake Controller, Smart Hitch, Onboard Scales, Trailer Camera, Smart Trailer To Connection	depends on \$\$	0	0	S
Maximum Trailer Tow Package	Yes	0	0	S

WARRANTY

Bumper-to-Bumper	3 years/36,000 miles
Electric vehicle unique component	8 years/100,000 miles*
Aluminum body panel	5 years/unlimited miles
Paint adhesion	5 years/unlimited miles
Roadside assistance	5 years/60,000 miles

^{*}Battery is covered for 8 years or 100,000 miles, whichever comes first, retaining a minimum of 70% of its original capacity over that period.

